

HOSE REEL



GEEVEHYDRAULICS B.V.

HYDRAULISCHE SLANGEN & KOMPONENTEN



Hose Reel TH7-12

Main Features

- Seven stage reel for hoses size -4 to -20
- Every stage (except bottom stage) can be swung out horizontally so that new roll can easily be inserted

Technical / Order Data

Max. load per reel:	80 kg
Colour:	Zinc plated
Dimensions: L 1270 mm x W 1000 mm x H 2230 mm	
Weight:	148 kg

Dimensions Reel:

Internal max. diameter reel (coil):	1010 mm
Internal min. diameter reel (coil):	250 mm
Height of the hose coil max.:	300 mm

Hose reel

Part-No.: TH7-12



Primary Application Areas

Service and series production in workshops

Hose Reel TH7-13

Main Features

- One-stage reel for hoses size -4 to -32
- Table adjustable to fit the center of the coil

Technical / Order Data

Max. load of reel:	500 kg
Colour:	Zinc plated / grey
Dimensions: L 1200 x W 1200 mm x H 830 mm	
Weight:	40 kg

Dimensions Reel:

Internal diameter, adjustable:	150 - 500 mm
--------------------------------	--------------

Hose reel

Part-No.: TH7-13



Primary Application Areas

Service and series production in workshops

Dimensions shown may be changed at any time without prior notice.

Hose Reel TH7-14

Horizontal motorized reel

Main Features

- Motorized reel for hoses size -4 to -32
- Variable speed control in both directions
- Ideal for cutting long lengths where winding is necessary



Technical / Order Data

Voltage single phase:	230V/10A/50Hz
Max. load of reel:	500 kg
Colour:	Zinc plated / light grey
Dimensions:	W 1200 mm x H 830 mm
Weight:	65 kg

Dimensions Reel:	
Internal diameter, adjustable:	150 - 500 mm

HoseReel

Part-No.: TH7-14

Primary Application Areas

Service and series production in workshops

Hose Reel TH7-15

Vertical motorized reel

Main Features

- Motorized reel for hoses size -4 to -20
- Variable speed control in both directions
- Ideal for cutting long lengths where winding is necessary
- Very easy to unload



Technical / Order Data

Voltage single phase:	230V/10A/50Hz
Max. load of reel:	100 kg
Colour:	Zinc plated
Dimensions:	W 600 mm x H 1400 mm
Weight:	75 kg

Dimensions Reel:	
Internal diameter, adjustable:	250 - 800 mm

HoseReel

Part-No.: TH7-15

Primary Application Areas

Service and series production in workshops

Dimensions shown may be changed at any time without prior notice.



Geeve Hydraulics B.V.
Gouderakstraat 61 3079 DB Rotterdam
Postbus 9009 3007 AA Rotterdam
Tel. 010 479 15 11 Fax. 010 479 05 11
E-mail: geeve@geeve.com
Internet: www.geeve.com