

# SCHILLMASCHINES



**GEEVEHYDRAULICS B.V.**

HYDRAULISCHE SLANGEN & KOMPONENTEN




## **TH2-10-3PH** **Skiving and Inserting Machine**

A semi-automatic PLC-controlled skiving machine, quick, reliable and easy to use. A centering system assures that the hose is correctly aligned during the entire skiving and inserting process. The TH2-10-3PH can be used for insert of fittings and skiving.

### **Advantages**

- PLC-controlled
- CE-conforming
- Greatly increases production capacity
- Automatic self-centering system
- Adjustable speed
- Adjustable pressure
- Waste collection for easy disposal



### **Technical data**

Hose capacity	3/16" - 2"
Skiving and Push-on capacity	400 - 600 pcs/hour
Motor	0,75 kW
Voltage (3-phase)	400V/16A/50Hz
Velocity	15 rpm
Air pressure	min. 6,0 bar
Colour	Light grey/dark grey

### **Dimensions**

Length	1200 mm
Width	680 mm
Height	1080 mm
Weight	132 kg

### **Part number**

**TH2-10-3PH**

### **Accessories**

- External skiving tool, 3/16" - 2"
- Internal skiving tool, 3/8" - 2"
- Push-on tool, 3/16" to 2" for straight and elbow fittings.



External skiving tool




Internal skiving tool



## TH2-9-3PH / TH2-9-1PH Hose Skiving Machine

For efficient skiving of hydraulic hoses (external and internal) from dimensions 3/16" to 2". The machine is easily controlled by a footpedal. Complete with a container for rubber waste.



### Technical data

Hose capacity, external skiving 1-2-3-4 and 6 layer	3/16" - 2"
Hose capacity, internal skiving 4 and 6 layer	3/8" - 2"
Motor	0,75 kW
Voltage 3-phase	400V/16A/50Hz
Voltage single phase	230/10A/50Hz
Velocity	125 rpm
Colour	Light grey

### Dimensions

Width	410 mm
Depth	600 mm
Height	390 mm
Weight	35 kg

### Part number

TH2-9-3PH  
TH2-9-1PH

Skiving machine 3-phases  
Skiving machine 1-phase

### Accessories

External skiving tool, 3/16"-2"  
Internal skiving tool, 3/8"-2"



External skiving tool



Internal skiving tool



Geeve Hydraulics B.V.  
Gouderakstraat 61 3079 DB Rotterdam  
Postbus 9009 3007 AA Rotterdam  
Tel. 010 479 15 11 Fax. 010 479 05 11  
E-mail: [geeve@geeve.com](mailto:geeve@geeve.com)  
Internet: [www.geeve.com](http://www.geeve.com)