

**Australia:**

Stauff Corporation (Pty.) Ltd.
P.O. Box 227
24-26 Doyle Avenue, Unanderra
Wollongong, N.S.W.
AUS-2526 Unanderra
Tel: +61 2 42 71 18 77
Fax: +61 2 42 71 84 32

Brazil:

Stauff Brasil Ltda.
Avenida Gupe 10.767
Galpão 2, Bloco A
WT - Empresarial Parque Castello Branco
BRA-Barueri - SP
CEP: 06422-120
Tel: +55 11 4789 9020
Fax: +55 11 4789 9021

China:

Stauff International Trading (Shanghai) Co., Ltd.
Shangdian Mansion, Pudong
331 Binzhou Road
CHN-200126 Shanghai
Tel: +86 21 58 45 65 60
Fax: +86 21 58 45 66 80

France:

Stauff s. a.
230, Avenue du Grain d'Or
Z.I. de Vineuil-Blois Sud
F-41354 Vineuil cedex
Tel: +33 2 54 50 55 50
Fax: +33 2 54 42 29 19

India:

Stauff India Pvt. Ltd.
Gat. No. 2340
Pune-Nagar Road, Wagholi
IND-Pune - 412207
Tel: +91 20 705 19 90
Fax: +91 20 705 19 89

Italy:

Stauff Italia s.r.l.
Via Pola 21/23
I-20034 Birone di Giusano
Tel: +39 0362 31 21 13
Fax: +39 0362 33 55 36

Japan:

Ohtsuka Tec. Co. Ltd.
1-7-19 Minami Shinagawa
Shinagawa-Ku
JPN-Tokyo 140
Tel: +81 3 34 72 12 01
Fax: +81 3 34 72 12 09

Canada:

Stauff Canada, Ltd.
866 Milner Avenue
CAN-Scarborough, Ontario M1B 5N7
Tel: +1 416 282 46 08
Fax: +1 416 282 30 39

USA:

Stauff Corporation
7 Wm. Demarest Place
USA-Waldwick, N. J. - 07463
Tel: +1 201 444 78 00
Fax: +1 201 444 78 52

United Kingdom:

Stauff UK
332, Coleford Road
Darnall
GBR-Sheffield, S 9 5 P H
Tel: +44 1142 518 518
Fax: +44 1142 518 519

Distributors and warehouses in all industrial countries.

Walter Stauffenberg GmbH & Co. KG

P. O. Box 1745, D-58777 Werdohl
Im Ehrenfeld 4, D-58791 Werdohl
Telefon: +49 (0) 23 92 916-0
Fax: +49 (0) 23 92 25 05
e-mail: sales@stauff.com
Internet: <http://www.stauff.com>

40 Years of Experience

Worldwide Distribution

Prompt Delivery

In most industrial countries STAUFF Clamps symbolize quick and easy pipe and hose installations as well as a clean distinct pipe layout.

The vibration and noise reducing features are appreciated as being an important contribution to environmental protection.

Apart from the technical sophistication of STAUFF Clamps, the second-to-none delivery, prompt service even for special constructions, STAUFF Clamps are also the most economical ones to install.

STAUFF Clamps applications are almost unlimited. Due to the extraordinary wide product range, all areas of pipe, tube and hose installation are covered:







- Industrial Hydraulics
- Mobile Hydraulics
- Marine Hydraulics
- Offshore
- General Industrial Pipe Construction
- Mining Industry
- Nuclear Reactor Construction
- Instrumentation and Control Technology
- Pneumatics

Approved by:










- Bureau Veritas
- Department of the Navy, New York
- Germanischer Lloyd
- Lloyd's Register of Shipping
- Registro Italiano Navale
- TÜV
- United States Coast Guard












acc. to DIN 3015, Part 1

Material Code					 Group 1  Group 1A - 8	 Group 1  Group 1A - 8	 Group 1  Group 1A - 8
Materials and designs of clamps bodies XXX Polypropylene profiled inside with tension clearance - PP Polypropylene smooth inside without tension clearance - PPH Polyamide profiled inside with tension clearance - PA Polyamide smooth inside without tension clearance - PAH Santoprene profiled inside with tension clearance - SA Santoprene smooth inside without tension clearance - SAH Aluminum profiled inside with tension clearance - AL (AL group 1A - 6 only) Other thermoplastics and O.D. on request.							
Surface finishing (see also technical appendix)					-	DIN 50942 Fe/Znph r 10	DIN 50942 Fe/Znph r 10
STAUFF Group	DIN Group	Outside diameter Tube or Hose		Nominal bore Pipe inch	Clamp Body (2 halves) (xxx - see material code)	Single Weld Plate SP	Elongated Weld Plate SPV
		mm	inch				
1	0	6			106 xxx	SP 1	SPV 1
		6,4	1/4		106,4 xxx		
		8	5/16		108 xxx		
		9,5	3/8		109,5 xxx		
		10		1/8	110 xxx		
1A	1	6			106 A xxx	SP 1 A	SPV 1 A
		6,4	1/4		106,4A xxx		
		8	5/16		108 A xxx		
		9,5	3/8		109,5A xxx		
		10		1/8	110 A xxx		
2	2	12,7	1/2		212,7 xxx	SP 2	SPV 2
		13,5		1/4	213,5 xxx		
		14			214 xxx		
		15			215 xxx		
		16	5/8		216 xxx		
		17,2		3/8	217,2 xxx		
3	3	19	3/4		319 xxx	SP 3	SPV 3
		20			320 xxx		
		21,3		1/2	321,3 xxx		
		22	7/8		322 xxx		
		25	1		325 xxx		
4	4	26,9		3/4	426,9 xxx	SP 4	SPV 4
		28			428 xxx		
		30			430 xxx		
5	5	32	1 1/4		532 xxx	SP 5	SPV 5
		33,7		1	533,7 xxx		
		35			535 xxx		
		38	1 1/2		538 xxx		
		40			540 xxx		
6	6	42		1 1/4	542 xxx	SP 6	SPV 6
		44,5	1 3/4		644,5 xxx		
		48,3		1 1/2	648,3 xxx		
		50,8	2		650,8 xxx		
		7	7	57,2	2 1/4		
60,3				2	760,3 xxx		
63,5	2 1/2				763,5 xxx		
70	2 3/4				770 xxx		
73	2 7/8			2 1/2 (except DIN 2448)	773 xxx		
76,1	3			2 1/2 (DIN 2448 only)	776,1 xxx		
8	8	88,9		3	888,9 xxx	SP 8	SPV 8
		102	4		8102 L xxx		







acc. to **DIN 3015, Part 1**

Size ▼						
	Group 1	Group 1	Group 1		TS	
						
	Group 1A - 6	Group 1A - 6	Group 1A - 6	Group 1A - 6	TSL	Group 1 - 8
	DIN 50942 Fe/Znph r 10	-	-	-	- (TSL z. p.)	-
	Twin Weld Plate DSP	Group Weld Plate RAP	Weld Plate, angled WSP	Bridge Weld Plate BSP	Mounting Rail TS/TSL	Hexagon Rail Nut SM
106 106,4 108 109,5 110 112	DSP 1/40 Pipe center spacing ←	RAP 1/30/10 Pipe center spacing ← Number of clamps ←	WSP 1			
106 A 106,4A 108 A 109,5A 110 A 112 A	DSP 1 A/37	RAP 1 A/37/10	WSP 1 A	BSP 1 A		
212,7 213,5 214 215 216 217,2 218	DSP 2/44	RAP 2/44/10	WSP 2	BSP 2	TS 11	
319 320 321,3 322 325	DSP 3/52	RAP 3/52/10	WSP 3	BSP 3	TS 14 TS 30 TSL 11	SM
426,9 428 430	DSP 4/60	RAP 4/60/5	WSP 4	BSP 4	(available in 1 and 2 m lengths)	
532 533,7 535 538 540 542	DSP 5/75	RAP 5/75/5	WSP 5	BSP 5		
644,5 648,3 650,8	DSP 6/90	RAP 6/90/5	WSP 6	BSP 6		
757,2 760,3 763,5 770 773 776,1						
888,9 8102 L						

acc. to **DIN 3015, Part 1**

Size ▼	 Group 1					 Group 1	Only for Hexagon Head Bolts AS DIN 931/933
	 Group 1A - 8					 Group 1A - 8	 Group 1 - 8
	DIN 50961 Fe/Zn 8 C						
	Cover Plate DP	Hexagon Head Bolt AS DIN 931/933	Socket Cap Screw IS DIN 912	Slotted Head Screw LI DIN 84	Stacking Bolt AF	Safety Locking Plate SIG	Safety Washer SI DIN 93
106 106,4 108 109,5 110 112	DP 1	AS 1/1 A (M6 x 30)	IS 1/1 A (M6 x 20)	LI 1/1 A (M6 x 20)	AF 1/1A	SIG 1	SI 6,4
106 A 106,4A 108 A 109,5A 110 A 112 A	DP 1 A					SIG 1 A	
212,7 213,5 214 215 216 217,2 218	DP 2	AS 2 (M6 x 35)	IS 2 (M6 x 25)	LI 2 (M6 x 25)	AF 2	SIG 2	
319 320 321,3 322 325	DP 3	AS 3 (M6 x 40)	IS 3 (M6 x 30)	LI 3 (M6 x 30)	AF 3	SIG 3	
426,9 428 430	DP 4	AS 4 (M6 x 45)	IS 4 (M6 x 35)	LI 4 (M6 x 35)	AF 4	SIG 4	
532 533,7 535 538 540 542	DP 5	AS 5 (M6 x 60)	IS 5 (M6 x 50)	LI 5 (M6 x 50)	AF 5	SIG 5	
644,5 648,3 650,8	DP 6	AS 6 (M6 x 70)	IS 6 (M6 x 60)	LI 6 (M6 x 60)	AF 6	SIG 6	
757,2 760,3 763,5 770 773 776,1	DP 7	AS 7 (M6 x 100)	IS 7 (M6 x 90)		AF 7	SIG 7	
888,9 8102 L	DP 8	AS 8 (M6 x 125)	IS 8 (M6 x 110)		AF 8	SIG 8	







acc. to DIN 3015, Part 1

Material Code			Clamp Body (2 halves)							Single Weld Plate SP						Elongated Weld Plate SPV						
STAUFF Group	DIN Group	Pipe-O.D. $\varnothing D1$ [mm]	L1	L2	Inside surface			Width	L1	L2	B	S	H	$\varnothing D$	L1	L2	L3	B	S	H	$\varnothing D1$	$\varnothing D2$
					profiled	smooth	H															
Materials and designs of clamp bodies Polypropylene, profiled inside, with tension clearance - PP Polypropylene, smooth inside, without tension clearance - PPH Polyamide, profiled inside, with tension clearance - PA Polyamide, smooth inside, without tension clearance - PAH Santoprene, profiled inside, with tension clearance - SA Santoprene, smooth inside, without tension clearance - SAH Aluminum, profiled inside, with tension clearance (AL group 1 A - 6 only) - AL Other thermoplastics and O.D. on request.			 <p>Group 1</p>  <p>Group 1 A - 8</p>							 <p>Group 1</p>  <p>Group 1 A - 8</p>						 <p>Group 1</p>  <p>Group 1 A - 8</p>						
Surface finishing (see also techn. appendix)			-							DIN 50942 Fe/Znph r 10						DIN 50942 Fe/Znph r 10						
Group 1: $\varnothing D1$, L1, L2, H, S Group 1A-8: $\varnothing D1$, L1, L2, H, S Group 1: $\varnothing D$, L1, L2, B, S, H Group 1A-8: $\varnothing D$, L1, L2, B, S, H Group 1: $\varnothing D1$, $\varnothing D2$, L1, L2, L3, B, S, H Group 1A-8: $\varnothing D1$, $\varnothing D2$, L1, L2, L3, B, S, H																						
1	0	6 6,4 8 9,5 10 12	28	9,5	27	0,4 min.	26	30	31,5	10	30	3	6,5	12	58	24,5	44	30	3	6,5	12	6,5
1A	1	6 6,4 8 9,5 10 12	37	20	27	0,4 min.	26	30	36	20	30	3	6,5	12	64	20	50	30	3	6,5	12	6,5
2	2	12,7 13,5 14 15 16 17,2 18	42	26	33	0,6 min.	32	30	42	26	30	3	6,5	12	70	26	56	30	3	6,5	12	6,5
3	3	19 20 21,3 22 25	50	33	36	0,6 min.	35,5	30	50	33	30	3	6,5	12	78	33	64	30	3	6,5	12	6,5
4	4	26,9 28 30	59	40	42	0,6 min.	41,5	30	60	40	30	3	6,5	12	87	40	73	30	3	6,5	12	6,5
5	5	32 33,7 35 38 40 42	71	52	58	0,8 min.	56,5	30	71	52	30	3	6,5	12	100	52	86	30	3	6,5	12	6,5
6	6	44,5 48,3 50,8	86	66	66	0,8 min.	64,5	30	88	66	30	3	6,5	12	115	66	100	30	3	6,5	12	6,5
7	7	57,2 60,3 63,5 70 73 76,1	121	94	93	0,8 min.	92	30	122	94	30	5	6,5	12	150	94	136	30	5	6,5	12	6,5
8	8	88,9 102	147	120	118	0,8 min.	116	30	148	120	30	5	6,5	12	178	120	162	30	5	6,5	12	6,5

acc. to DIN 3015, Part 1

Size	<p>Group 1</p>								<p>Group 1</p>								<p>Group 1</p>								<p>Group 1 A - 6</p>							
	DIN 50942 Fe/Znph r 10								-								-								-							
	Twin Weld Plate DSP								Group Weld Plate RAP								Weld Plate, angled WSP								Bridge Weld Plate BSP							
	L1	L2	L3	B	S	H	ØD	L1	L2	L3	B	S	H	ØD	L1	L2	B1	B2	S	H	ØD1	ØD2	L1	L2	B	S	H1	H2	ØD			
6 6,4 8 9,5 10 12	87	40	40	30	3	6,5	12	314	31	31	30	4	6,5	12	30	14	30	30	3	6,5	12	6,5										
6 6,4 8 9,5 10 12	77	20	37	30	3	6,5	12	373	20	37	30	4	6,5	12	36	20	30	30	3	6,5	12	6,5	48	20	30	3	13	6,5	12			
12,7 13,5 14 15 16 17,2 18	86	26	44	30	3	6,5	12	442	26	44	30	4	6,5	12	42	26	30	30	3	6,5	12	6,5	54	26	30	3	13	6,5	12			
19 20 21,3 22 25	102	33	52	30	3	6,5	12	521	33	52	30	4	6,5	12	50	33	30	30	3	6,5	12	6,5	62	33	30	3	13	6,5	12			
26,9 28 30	120	40	60	30	3	6,5	12	300	40	60	30	4	6,5	12	60	40	30	30	3	6,5	12	6,5	71	40	30	3	13	6,5	12			
32 33,7 35 38 40 42	145	52	75	30	3	6,5	12	378	52	75	30	4	6,5	12	70	52	30	30	3	6,5	12	6,5	85	52	30	3	13	6,5	12			
44,5 48,3 50,8	178	66	90	30	3	6,5	12	450	66	90	30	4	6,5	12	88	66	30	30	3	6,5	12	6,5	98	66	30	3	13	6,5	12			
57,2 60,3 63,5 70 73 76,1 88,9 102																																

acc. to DIN 3015, Part 1

Size ▼																														
	Mounting Rail			Hexagon Rail Nut			Cover Plate			Hexagon Head Bolt			Socket Cap Screw			Slotted Head Screw			Stacking Bolt			Safety Locking Plate			Safety Washer					
	TS/TSL			SM			DP			AS			IS			LI			AF			SIG			SI					
	B1	B2	S	L	B	H1	H2	∅D	L1	L2	B	S	∅D	G x L	G x L	D	S	G x L	D	S	G	L1	L2	L3	SW	L	B1	B2	S	∅D
6 6,4 8 9,5 10 12								28	9,5	30	3	7	M6x30	M6x20	11	0,8	M6x20	11	0,8	M6	34	20	12 _{min.}	11	17	32	11,1	1	6,4	
6 6,4 8 9,5 10 12								34	20	30	3	7	M6x30	M6x20	11	0,8	M6x20	11	0,8	M6	34	20	12 _{min.}	11	34	28	11,1	1	6,4	
12,7 13,5 14 15 16 17,2 18								40,5	26	30	3	7	M6x35	M6x25	11	0,8	M6x25	11	0,8	M6	40	25	12 _{min.}	11	40	28	11,1	1	6,4	
19 20 21,3 22 25	28	11	2	25,4	10,4	13	5	12	48	33	30	3	7	M6x40	M6x30	11	0,8	M6x30	11	0,8	M6	44	30	12 _{min.}	11	47	28	11,1	1	6,4
26,9 28 30								57	40	30	3	7	M6x45	M6x35	11	0,8	M6x35	11	0,8	M6	48	35	12 _{min.}	11	56	28	11,1	1	6,4	
32 33,7 35 38 40 42								70	52	30	3	7	M6x60	M6x50	11	0,8	M6x50	11	0,8	M6	64	50	12 _{min.}	11	69	28	11,1	1	6,4	
44,5 48,3 50,8								86	66	30	3	7	M6x70	M6x60	11	0,8	M6x60	11	0,8	M6	73	60	12 _{min.}	11	85	28	11,1	1	6,4	
57,2 60,3 63,5 70 73 76,1								118	94	30	5	7	M6x100	M6x90	11	0,8				M6	99	85	12 _{min.}	11	117	28	11,1	1	6,4	
88,9 102								144	120	30	5	7	M6x125	M6x110	11	0,8				M6	124	110	12 _{min.}	11	143	28	11,1	1	6,4	

acc. to DIN 3015, Part 1

STAUFF Group	DIN Group	Outside diameter Tube or Hose		Nominal bore Pipe inch	Clamp Body (2 halves) (xxx – see material code)
		mm	inch		
1	0	6			106 xxx
		6,4	1/4		106,4 xxx
		8	5/16		108 xxx
		9,5	3/8		109,5 xxx
		10		1/8	110 xxx
		12			112 xxx
1A	1	6			106 A xxx
		6,4	1/4		106,4A xxx
		8	5/16		108 A xxx
		9,5	3/8		109,5A xxx
		10		1/8	110 A xxx
		12			112 A xxx
2	2	12,7	1/2		212,7 xxx
		13,5		1/4	213,5 xxx
		14			214 xxx
		15			215 xxx
		16	5/8		216 xxx
		17,2		3/8	217,2 xxx
		18			218 xxx
3	3	19	3/4		319 xxx
		20			320 xxx
		21,3		1/2	321,3 xxx
		22	7/8		322 xxx
		25	1		325 xxx
4	4	26,9		3/4	426,9 xxx
		28			428 xxx
		30			430 xxx
5	5	32	1 1/4		532 xxx
		33,7		1	533,7 xxx
		35			535 xxx
		38	1 1/2		538 xxx
		40			540 xxx
		42		1 1/4	542 xxx
6	6	44,5	1 3/4		644,5 xxx
		48,3		1 1/2	648,3 xxx
		50,8	2		650,8 xxx
7	7	57,2	2 1/4		757,2 xxx
		60,3		2	760,3 xxx
		63,5	2 1/2		763,5 xxx
		70	2 3/4		770 xxx
		73	2 7/8	2 1/2 (except DIN 2448)	773 xxx
		76,1	3	2 1/2 (DIN 2448 only)	776,1 xxx
8	8	88,9		3	888,9 xxx
		102	4		8102 L xxx

Material Code

Materials and designs of clamp bodies **XXX**

Polypropylene, profiled inside, with tension clearance **- PP**

Polypropylene, smooth inside, without tension clearance **- PPH**

Polyamide, profiled inside, with tension clearance **- PA**

Polyamide, smooth inside, without tension clearance **- PAH**

Santoprene, profiled inside, with tension clearance **- SA**

Santoprene, smooth inside, without tension clearance **- SAH**

Aluminum, profiled inside, with tension clearance (AL group 1A – 6 only) **- AL**

Other thermoplastics and O.D. on request.

Design of clamp bodies see technical appendix, page 48. Design and order codes for clamps with rubber insert RI see page 30 – Clamp Accessories –.

acc. to DIN 3015, Part 1

Order Code

SP * **,* xxx DP-AS

Material and design of clamp body
 Pipe-O.D.
 STAUFF Group

Clamp consisting of:
 1 x Single Weld Plate
 1 x Clamp Body
 (2 halves)
 1 x Cover Plate
 2 x Hexagon Head Bolt
 DIN 931/933

Order Code

SP * **,* xxx IS

Material and design of clamp body
 Pipe-O.D.
 STAUFF Group

Clamp consisting of:
 1 x Single Weld Plate
 1 x Clamp Body
 (2 halves)
 2 x Socket Cap Screw
 DIN 912
 with washer

Order Code

SP * **,* xxx LI

Material and design of clamp body
 Pipe-O.D.
 STAUFF Group

Clamp consisting of:
 1 x Single Weld Plate
 1 x Clamp Body
 (2 halves)
 2 x Slotted Head Screw
 DIN 84
 with washer

Order Code

SPV * **,* xxx DP-AS

Material and design of clamp body
 Pipe-O.D.
 STAUFF Group

Clamp consisting of:
 1 x Elongated Weld Plate
 1 x Clamp Body
 (2 halves)
 1 x Cover Plate
 2 x Hexagon Head Bolt
 DIN 931/933

Order Code

SPV * **,* xxx IS

Material and design of clamp body
 Pipe-O.D.
 STAUFF Group

Clamp consisting of:
 1 x Elongated Weld Plate
 1 x Clamp Body
 (2 halves)
 2 x Socket Cap Screw
 DIN 912
 with washer

Order Code

SPV * **,* xxx LI

Material and design of clamp body
 Pipe-O.D.
 STAUFF Group

Clamp consisting of:
 1 x Elongated Weld Plate
 1 x Clamp Body
 (2 halves)
 2 x Slotted Head Screw
 DIN 84
 with washer

Order Code

SM * **,* xxx DP-AS

Material and design of clamp body
 Pipe-O.D.
 STAUFF Group

Clamp consisting of:
 2 x Hexagon Rail Nut
 1 x Clamp Body
 (2 halves)
 1 x Cover Plate
 2 x Hexagon Head Bolt
 DIN 931/933

Order Code

SM * **,* xxx IS

Material and design of clamp body
 Pipe-O.D.
 STAUFF Group

Clamp consisting of:
 2 x Hexagon Rail Nut
 1 x Clamp Body
 (2 halves)
 2 x Socket Cap Screw
 DIN 912
 with washer

Order Code

SM * **,* xxx LI

Material and design of clamp body
 Pipe-O.D.
 STAUFF Group


Clamp consisting of:
 2 x Hexagon Rail Nut
 1 x Clamp Body
 (2 halves)
 2 x Slotted Head Screw
 DIN 84
 with washer

acc. to DIN 3015, Part 1

Order Code

*** **,* xxx DP-AS**

Material and design of clamp body
Pipe-O.D.
STAUFF Group




Clamp consisting of:
1 x Clamp Body (2 halves)
1 x Cover Plate
2 x Hexagon Head Bolt DIN 931/933

Order Code

*** **,* xxx IS**

Material and design of clamp body
Pipe-O.D.
STAUFF Group




Clamp consisting of:
1 x Clamp Body (2 halves)
2 x Socket Cap Screw DIN 912 with washer

Order Code

*** **,* xxx LI**

Material and design of clamp body
Pipe-O.D.
STAUFF Group




Clamp consisting of:
1 x Clamp Body (2 halves)
2 x Slotted Head Screw DIN 84 with washer

Order Code

*** **,* xxx SIG-AF**

Material and design of clamp body
Pipe-O.D.
STAUFF Group




Clamp consisting of:
1 x Clamp Body (2 halves)
1 x Safety Locking Plate
2 x Stacking Bolt

Order Code

SP 1 **,* xxx DP-AS

Material and design of clamp body
Pipe-O.D.
STAUFF Group




Clamp consisting of:
1 x Single Weld Plate
1 x Clamp Body (2 halves)
1 x Cover Plate
1 x Hexagon Head Bolt DIN 931/933

Order Code

1 **,* xxx SI-AF

Material and design of clamp body
Pipe-O.D.
STAUFF Group




Clamp consisting of:
1 x Clamp Body (2 halves)
1 x Safety Locking Plate
1 x Stacking Bolt

Information

In order to protect hexagon head bolts against unscrew caused by vibrations safety washers acc. to DIN 93 are recommended.

Items are supplied non-assembled.

Product range



STAUFF CLAMPS:

Clamping systems for tubes, hoses, pipes, cables and components

Original STAUFF Clamps:

The tube fastening system in accordance with DIN 3015
Dimensional range from 6 to 800 mm
Different materials available

U-Bolt and DIN clamps

Angle Adjustment Clamps

Special clamps and supports:

Custom built solutions



STAUFF TEST:

Pressure test systems
Venting and sampling of liquid and gas pressure systems

nominal working pressure: 630 bar maximum
100% closeness control
components tested in accordance with DIN 40.080

Test couplings and accessories:

Adaption threads M16x2 - M16x1,5 -
S12,65x1,5- Plug-in system

Test hoses:

DN 2 and DN 4; hose length and fittings on request

MINITESTER PPC-04:

Digital measuring device
for:

Working pressure
Differential pressure
Temperature
Flow
RPH

Data output via
PC or printer



STAUFF FILTERS:

Hydraulic filtration systems

High pressure filters for in-line mounting:

maximum working pressure: 630 bar

Return line tank top filters:

maximum working pressure: 16 bar

Replacement filter elements:

Compatible quality and dimensional interchange to suit most filter makes
produced in own facilities

Filter materials: Glass fibre, Metal fibre, Polyester fibre, Wire mesh, Paper



STAUFF HYDRAULIC ACCESSORIES:

Components for the construction of tanks
and power units and mobile hydraulics

- | | |
|-----------------------|---------------------------------|
| Level gauges | Level temperature switches |
| Filler breathers | Throttle and shut-off valves |
| Check valves | Desiccant air breathers |
| Diffusers | Suction strainers |
| Spin-On - Filters | Stainless steel pressure gauges |
| Return line bushes | Flow indicators |
| Gauge isolator valves | Air filters |