KONU – Cone-template for tools VOMO/MOK/MOSI

Cone-templates are essential for monitoring wear on pre-assembly tools like VOMO, MOK or MOS.

KONU must be regularly used to prevent fitting failures caused by worn out or damaged tools (DIN 3859-2: max. each 50th assembly).

For proper use see EO assembly instructions, Chapter E.

Specifications:



Features, advantages and benefits of cone-templates:

- Special KONU are high precision cone-templates specifically designed and manufactured to match EO standards.
- 2. **Maintenance tool** A leaking fitting can be easily checked and replaced if worn-out.

Tube O.D.	Cone gauges	
mm	Order code	
04-LL	KONU04LL	
04 LL 06-LL	KONU06LL	
08-LL	KONU08LL	
10-LL KONU10LL		
12-LL	KONU12LL	
06-L	KONU06L ¹)	
08-L	KONU08L ¹)	
10-L	,	
12-L	KONU12L ¹)	
15-L	KONU15L	
18-L	KONU18L	
22-L	KONU22L	
28-L	KONU28L	
35-L	KONU35L	
42-L	KONU42L	
06-S	KONU06L1)	
08-S	KONU08L ¹)	
10-S	KONU10L ¹)	
12-S KONU12L1)		
14-S KONU14S		
16-S	KONU16S	
20-S	KONU20S	
25-S KONU25S		
30-S	KONU30S	
38-S	KONU38S	

1) Cone-templates for tube o.d. 6 to 12 are

identical in series L and S.

Selection guide: Checking equipment for EO assembly

Performance of EO tube connections is depending on perfect condition of preassembly tools and proper assembly process.

Cone-templates KONU for monitoring MOK/VOMO tool wear and AKL gauges for checking result of PSR preassembly are available.

KONU – Cone-template for EO pre-assembly tools

Limitations

Cone-template KONU detect wear and deformation of pre-assembly tools like VOMO, MOK or MOS. But it does not indicate failures on completed assemblies.

Cone-template KONU will not detect all possible failures of pre-assembly tools. Pre-assembly tools must be scrapped when they show visual wear or cracks, even if KONU check is OK.

	KONU	AKL
		Southern
Function	Checking of preassembly tools	Checking of PSR assemblies
Will detect: Deformed MOK/VOMO	Yes, compared to template	Yes, if relevant for PSR performance
Will detect: Visual damage and cracks of MOK/VOMO	No	Yes, if relevant for PSR performance
Will detect: Assembly failures like: tube end not bottomed, underassembly of PSR	No	Yes, if relevant for PSR performance
Will detect: Insufficient bite of PSR	No Visual check required	No Visual check required
Application	Expert template for trained and experienced engineers in workshop	Gauge for production of PSR assemblies

Application

KONU is expert tooling for trained and experienced engineers. For practical

monitoring of assembly result in production, distance gauge AKL are recommended.

